

PRODUCT DATA SHEET

Date: 05/08/2025

Spinnaker 550 Summit Avenue Troy, Oh 45373 800 543-9452

3.4 Mil TC Matte White Vinyl ** SR98UR Ultra-Removable ** 80# 0-Split (used in Vinyl products)

Facestock: **3.4 Mil TC Matte White Vinyl**A white, flexible vinyl with a matte top-coating which dries easily

and quickly when offset printed. For best printing results, use inks that dry by oxidation. Typical applications for this product include product identification, decals, indoor and outdoor signage, drum labels and applications requiring good conformability to

irregular surfaces.

Typical Value

Basis Weight: $85 \#/3300 \text{ ft}^2$ Caliper: 3.4 mils

Adhesive: **SR98UR Ultra-Removable** A low-tack emulsion acrylic removable that can be considered as a static cling

on some substrates. This adhesive is exclusive to select vinyl products

Typical Value

Caliper: .81 mils
Service Temperature: -40 to 160 °F
Minimum Application Temperature: -10 °F

Release Liner: 80# 0-Split (used in Vinyl

products)

A white, bleached kraft, clay-coated liner providing excellent layflat characteristics and internal strength for kiss cut applications. This liner is

exclusive to the vinyl and semi gloss durable products

Typical Value

Basis Weight: $76.8 \, \#/3000 \, \mathrm{ft^2}$ Caliper: $4.6 \, \mathrm{mils}$ Tensile MD/CD: $36 \, / \, 21 \, \#/\mathrm{inch}$ Tear MD/CD: $61 \, / \, 71 \, \mathrm{grams}$

Opacity: 86%

Total Product Caliper: 8.81 mils **For application recommendations call 877-210-5104 Product Basis Weight Per MMSI:** 356.80 # **For samples or other questions please call your Sales Representative.**

Shelf Life: 12 month(s) when stored at 72° F, 50% RH

Important Notice

These are typical values and should not be considered a specification. Adhesive properties were tested with a film facestock unless denoted with an asterisk(*).

All trademarks are the property of their respective owners.

All information, recommendations for use, product designations, and descriptive materials about Spinnaker Pressure Sensitive Products, LLC products are believed to be reliable, but the furnishing of such information, recommendations for use, product designations, and descriptive material is for informational purposes only and does not constitute a warranty of any kind by Spinnaker Pressure Sensitive Products, LLC. Because of the variety of possible applications for Spinnaker's products and the continuing development of new applications, all Spinnaker Pressure Sensitive Products, LLC products are sold with the understanding that each purchaser will independently determine the suitability of any product for the purchaser's intended application, converting, and print processes. Spinnaker Pressure Sensitive Products, LLC will review, and may modify the information contained in this document from time to time and customers should ensure they have the most recent information.

Last Revision: 04/05/2018